

## SINGLE-SEAL EXPANSION JOINT

Floor to Floor | Floor to Wall

30 - 75 mm ( 1 1/4 - 3" ) Expansion Gaps

# Maxatec 100 : A01-A02

## Features

### Surface

Smooth surface

Centre supported and Americans with Disabilities Act (ADA) compliant across the entire movement cycle

### Movement

Good movement capacity

ASTM E-1399 Class I: Thermal

Class II: Wind

## Traffic Frequency per day

				
≤ 25,000	≤ 10	≤ 10	-	-

## System Options

Gap width(s)	30, 50, 75 mm
Height(s)	25, 35, 50, 70 mm
Metal type(s)	6063 T5 & T6 Aluminium
Seal colour(s)	Black (RAL 7021) Grey (RAL 7038) Beige (RAL 1015)
Fire barrier	120-240 minutes
Waterproofing	Moisture barrier
Pre-assembly in factory	Contact Vexcolt



## APPLICATIONS

Airport Terminals | Educational | Exhibition Centres  
Department Stores | Distribution & Retail Warehouses  
Factories | Hospitals | Museums | Offices & Hotels  
Parking | Places of Worship | Residential Buildings  
Rail, Metros & Elevated Rail Stations | Roads & Bridges  
Shopping Centres | Sports Stadiums | Supermarkets

## SINGLE-SEAL EXPANSION JOINT

Floor to Floor | Floor to Wall

30 - 75 mm ( 1 1/4 - 3" ) Expansion Gaps

# Maxatec 100 : A01-A02

### Expansion Joint Selection Criteria

### Load Rating

### Product Details

Joint Location	Gap Width B(mm)	Movement Capacity (mm)		Eurocode Rating				Product Dimensions				Product Number
		±	[Total]	Forklift	Tractor	Tram	Truck	Height		Sightline A (mm)	Blockout C (mm)	
								H1 (mm)	H2 (mm)			
Floor - Floor	30	± 5	[10]	5 kN	46 kN	-	-	25: 35: 50: 70	-	40	185	100-A01-030-(H1)
	50	± 10	[20]	2 kN	31 kN	-	-		-	71	216	100-A01-050-(H1)
	75	± 15	[30]						-	93	238	100-A01-075-(H1)
Floor - Wall	30	± 5	[10]	5 kN	46 kN	-	-	25: 35: 50: 70	50	40	113	100-A02-030-(H1)
	50	± 10	[20]	2 kN	31 kN	-	-		75	71	144	100-A02-050-(H1)
	75	± 15	[30]						93	166	100-A02-075-(H1)	

When specifying or ordering please add the **height (H1)** required to the Product Reference.  
For example Maxatec 100 : A01-030-050 denotes a joint 50mm high.

### Complementary Systems

Internal Wall - 100 : A07-A09 - Pg 68 - 69

