



Safety Data Sheet

PROREND COLOURTEX GRAINED

ACCORDING TO 91/155 EC

1. IDENTIFICATION OF SUBSTANCE

1.1. Trade name: ProRend Colourtex Grained
1.2. Supplier: SAS (Europe) Limited
1.3. Address: King Stag House, Cheriton Bishop, Exeter, Devon, EX6 6JE
1.4. Country: UK
1.5. Telephone: +44 (0) 1647 24620
1.6. Emergency call: +44 (0) 1647 24620

2. COMPOSITION/DATA ON COMPONENTS

Chemical Components	Concentration	Symb.	R-number	Cas-nr
---------------------	---------------	-------	----------	--------

3. HAZARD IDENTIFICATION

3.1. Hazard classification: This product is not subject to identification under EU directives and the ordinance on hazardous materials:67/548 ECC or 95/45/EC.

4. FIRST AID MEASURES

4.1. Inhalation: Move person to fresh clean air and keep warm. Avoid exertion. If the patient has irregular breathing or is not breathing give artificial respiration. Do not provide food or drink. If patient is unconscious place in recovery position and seek medical assistance immediately.

4.2. Skin contact: **S28** Wash with soap and warm water and rinse thoroughly.

4.3. Eye contact: **S26** Rinse opened eye for several minutes under running water. If irritation persists consult a doctor immediately.

4.4. Ingestion: **S62** If swallowed, seek medical advice immediately and show this label. Rinse mouth and drink plenty of water. Do not induce vomiting.

5. FIRE FIGHTING MEASURES

5.1. Suitable extinguishing agents: Foam, CO₂, Water.
5.2. Specific hazards
5.3. Protective equipment

6. ACCIDENTAL RELEASE MEASURES

6.1. Individual precautions: **S23** Do not breathe vapour
S24 Avoid contact with skin
S25 Avoid contact with eyes or clothes

6.2. Environmental precautions: Prevent product from spreading into the environment via surface water or sanitary sewer systems, warn local authorities in case of accidental release.

6.3. Cleaning methods: Product must be disposed of according to local regulations. Soak up with inert absorbent materials e.g. sand, universal binder, sawdust.

SAS (Europe) Ltd | Cheriton Bishop | Devon | EX6 6JE
T: 01647 24620 | F: 01647 24020 | info@sas-europe.com | www.sas-europe.com

RAINSCREEN | INSULATION | RENDER | MESH | BEADS

Safety Data Sheet

7. HANDLING AND STORAGE

- 7.1. Handling **S2** Keep out of reach of children.
S23 Do not breathe vapour. Use dustmask P1.
S24 Avoid contact with skin.
S25 Avoid contact with eyes or clothes
- 7.2. Storage Protect from moisture, frost and direct sunlight. Dry store in original packaging at 5°C – 30°C. Avoid contact with ignition sources and oxidation resources of strong acid or alkali. Open buckets need to be properly sealed and stored to prevent leakage.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

- 8.1. Technical measures Follow legal requirements
- 8.2. Components with critical values that require monitoring at the workplace
- 8.3. Personal protective equipment
- 8.3.1. Respiratory **S23** Do not breathe vapour. Use dustmask P1
- 8.3.2. Hand **S24** Avoid contact with skin
- 8.3.3. Eye **S25** Avoid contact with eyes. Use safety goggles
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S37 Wear suitable gloves
S39 Wear eye/face protection (safety goggles)
- 8.3.4. Body **S20/21** When using, do not eat, drink or smoke

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1. Form Viscose
- 9.2. Odour Weak
- 9.3. Colour Variable
- 9.4. pH-value 9
- 9.5. Melting point >100°C
- 9.6. Relative density approx. 1.8 kg/dm³
- 9.7. Solubility in water: mixable

10. STABILITY AND REACTIVITY

- 10.1. Conditions to be avoided Avoid conditions above 60°C, direct sunlight and contact with heat sources
- 10.2. Materials to be avoided Strong acid and alkali products to avoid exothermic reactions
- 10.3. Dangerous products of decomposition After the evaporation of water, combustion will lead to the development of CO₂, CO, NO_x and dense black smoke.

11. TOXICOLOGICAL INFORMATION

- 11.1. Inhalation Acute toxicity. Exposure to concentrations in excess of MAC values to vapour of the compressed substance can damage health: irritation to mucous membrane; affections to the liver, kidneys and central nervous system. Symptoms include dizziness, tiredness, drowsiness, muscular paralysis and unconsciousness.
- 11.2. Skin **R38** Irritating to skin
R43 May cause sensitisation by skin contact
- 11.3. Eyes **R36** Irritating to eyes
R41 Risk of serious damage to eyes
- 11.4. Swallowing Acute toxicity. Can cause nausea, stomach cramps and irritation to the mucous membrane.

Safety Data Sheet

12. ECOLOGICAL INFORMATION

No information available. Product cannot be disposed of into the sewers or waterworks.

13. DISPOSAL CONSIDERATION

Product must be disposed of according to local regulations pertaining to the disposal of hazardous waste. It is not permitted to dispose of this product with normal waste. The European waste disposal code for full buckets is 08 01 16 and should be referred to disposal contractors disposing of full buckets.

Method for disposal of partially used materials:

Dispose partially used buckets of product into inert container and allow to cure so no further chemical reaction occurs. Waste may then be disposed of in site skip waste. Dry empty buckets are not deemed hazardous.

14. TRANSPORT INFORMATION

- 14.1. ADR
- 14.2. RID
- 14.3. ADNR
- 14.4. IMDG
- 14.5. IATA

15. REGULATORY INFORMATION

Labelling according to CE directives: The product is not subject to identification under EU directives and the ordinance on hazardous materials: 67/548 EEC or 95/45/EC

S2	Keep out of reach of children
S20/21	When using, do not eat, drink or smoke
S23	Do not breathe vapour
S24	Avoid contact with skin
S25	Avoid contact with eyes
S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S28	After contact with skin, wash immediately with plenty of soap-suds
S37	Wear suitable gloves
S39	Wear eye/face protection
S62	If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label
R36	Irritation to eyes
R38	Irritation to skin
R41	Risk of serious damage to eyes
R43	May cause sensitisation by skin contact

16. OTHER INFORMATION

See technical data sheet

**This data is based on our present knowledge. However, it shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

SAS (Europe) Ltd | Cheriton Bishop | Devon | EX6 6JE
T: 01647 24620 | F: 01647 24020 | info@sas-europe.com | www.sas-europe.com

RAINSCREEN | INSULATION | RENDER | MESH | BEADS