

tile specifications

style name	unwind tile
style number	5T090
construction	multi-level pattern loop
fiber	solution q extreme® nylon
dye method	100% solution dyed

	english	metric

pattern repeat	none	
tufted weight	22.0	745.93 g/m ²
gauge	1/12	47.24 per 10 cm
stitches per inch	11.0	43.31 per 10 cm
finished pile thickness	0.106	2.69 mm
total thickness	0.242	6.15 mm
average density	7472	13.91 kilotex
product size	24" x 24"	60.96 cm x 60.96 cm
primary backing	synthetic	
secondary backing	ecoworx® tile	
protective treatments	inherent stain resistant	

testing

radiant panel	Class I
nbs smoke	less than 450
electrostatic propensity	less than 3.5kv

warranties

lifetime commercial limited

installation method



coordinating products

activity tile, rest tile, dawn, dusk

environmental certification

nsf140 platinum
cradle to cradle silver certified



Specifications are subject to nominal manufacturing variances. Material supply and/or manufacturing processes may necessitate changes without notice.

eco impacts

end of life

recyclability

100% recyclable

environmental guarantee

free pick up & recycling

To recycle call 800.509.SHAW

materials

ingredients

face fiber

nylon 6

dye method

100% solution dyed

backing

polyolefin composite

does not contain PVC, phthalates, or PBD/PBDE

recycled content

total recycled content (by weight)

36.8 %

pre-consumer

31.6 %

post-consumer

5.2 %

bio-based/rapidly renewable content (by weight)

0.0 %

packaging

100% recyclable

country of origin (manufacturer)

USA

Meets or exceeds all local and national regulations in country of manufacture.

Manufactured in an ISO9001 & ISO14001 certified facility or equivalent.

Recycled content is calculated using system allocation, mass balance, and direct insertion.

The actual recycled content in this product will likely vary. For more information email

info@shawgreenedge.com.

third party certifications

MBDC cradle to cradle

silver certified

NSF 140

platinum certified

CRI green label plus

certified glp9968

USGBC LEED

contributes

Building Research Establishment

certified

Good Environmental Choice Australia

certified

Sustainability Through Innovation™ That's the Shaw Green Edge®